


BEACON OPTRONICS
The Shape of light



High Precision secondary
LED Lenses

Contents

- ★ About Us
- ★ Product Nomenclature
- ★ Our Capabilities
- ★ Available Beam Pattern
- ★ Application
- ★ Glitter Series
- ★ Glisten Series
- ★ Jupiter Series
- ★ Shimmer Series
- ★ Blaze Series
- ★ Sunbeam Series
- ★ Oculus Series
- ★ Polstar Series
- ★ Ignite Series
- ★ Moon Series
- ★ Shine Series
- ★ Thiea Series
- ★ Aura Series
- ★ Galaxy Series
- ★ Nova Series
- ★ Miscellaneous Item





BEACON OPTRONICS

The Shape of light

About Us

Welcome to Beacon Optronics – Illuminating Excellence in Lens Manufacturing! At Beacon Optronics, we're not just crafting lenses; we're shaping the future of lighting. As a premier lens manufacturing company based in Ghaziabad, we specialize in the art and science of creating optics that redefine brilliance. We are producing cutting-edge lenses for a variety of applications, from streetlights and high bays to stadium lights and industrial fixtures.

As a beacon in the industry, we are dedicated to driving innovation and sustainability, providing lighting solutions that inspire and endure. We are committed to pushing the boundaries of innovation, making sustainable and energy-efficient lighting solutions accessible to all.

Illuminate your world with Beacon Optronics – where every lens is a testament to our commitment to brilliance!

At Beacon Optronics, our know-how extends beyond manufacturing – it's ingrained in our culture. We don't just create lenses; we create solutions that redefine illumination. With a relentless commitment to quality and a passion for innovation, we're not just shaping lenses; we're shaping the future of lighting. Join us on this journey where expertise meets dedication, and together, we'll continue to discover new possibilities in the world of optics.

Why Choose Us...??



Quick
Response



Strong
R&D Team



Production
Advance
Equipment



Wide Range
Product

PRODUCT NOMENCLATURE



BEACON OPTRONICS
The Shape of light

Company Name
Beacon Optronics

Product Development
Number

LED Family
Glitter Series, Glisten Series,
Jupiter Series, Shimmer Series,
Blaze Series, Sunbeam Series,
Oculus Series, Polstar Series,
Shine Series, Miscellaneous Series

Lens Matrix
2x2,3x3,4x1

Led Package
3030,3535

Beam Angle
(10°, 30°, 60°, 90°, Type-1, Type-2,
Type-3, Type-4, Type-5)

BO01-FAMILY-2X2-5050-60°

BO

01

Family

2x2

5050

60°

OUR CAPABILITIES




Each and Every ray is brighter in
BEACON OPTRONICS !!!




AVAILABLE BEAM ANGLE




BEACON OPTRONICS
The Shape of light




7°




10°




30°




60°



90°




20x120°



Type-2M




Type-2M




Type-2M




Type-2S




Type-2M



Type-3M




Type-3M




Type-3S




Type-4




Type-4



Type-4



Type-4



Type-4




Type-5

Many More to come....!

APPLICATION



BEACON OPTRONICS
The Shape of light





BEACON OPTRONICS

The Shape of light

Glitter Series(2x2)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





GLITTER SERIES






BEACON OPTRONICS
The Shape of light

BO01-Glitter-2x2-5050-60°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO02-Glitter-2x2-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.75	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   


BO03-Glitter-2x2-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   


GLITTER SERIES

BO04-Glitter-2x2-5050-25°(Gen1)




LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10.6	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO13-Glitter-2x2-5050-Type III



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.0	Type III	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO14-Glitter-2x2-5050-Type IV





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.5	Type IV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

GLITTER SERIES






BEACON OPTRONICS
The Shape of light

BO15-Glitter-2x2-5050-Type V






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type V	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO33-Glitter-2x2-5050-20x120°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	20x120°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO41-Glitter-2x2-5050-60° Sq






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

GLITTER SERIES





BEACON OPTRONICS
The Shape of light

BO32-Glitter-2x2-5050-15°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x16.5	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO56-Glitter-2x2-5050-20°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x13.5	20°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



BO32.1-Glitter-2x2-5050-15°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x15.4	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



GLITTER SERIES

BO127-Glitter-4x1-120x20°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x9	120x20°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO199-Glitter-2x2-5050-25°(Gen2)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO200-Glitter-2x2-5050-25°(Gen3)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



GLITTER SERIES

BO198-Glitter-2x2-5050-60°(Sq.-Beam)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X13	60° (Sq.-Beam)	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO198-Glitter-2x2-5050-90°(Sq.-Beam)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X10	90° (Sq.-Beam)	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   





BEACON OPTONICS

The Shape of light





BEACON OPTRONICS

The Shape of light

Glisten Series(3x3)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





GLISTEN SERIES





BEACON OPTRONICS
The Shape of light

BO05-Glisten-3x3-5050-60°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO06-Glisten-3x3-5050-90°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO07-Glisten-3x3-5050-Type II





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.2	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO16-Glisten-3x3-5050-Type III






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type III	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO17-Glisten-3x3-5050-Type IV



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x7.0	Type IV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO18-Glisten-3x3-5050-Type V



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type V	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  



BEACON OPTRONICS

The Shape of light




Jupiter Series(8x1)

- Optimized for 5050/3535 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





JUPITER SERIES

BO19-Jupiter-8x1-5050-30°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x9.0	30°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO20-Jupiter-8x1-3535/5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.3	60°	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO21-Jupiter-8x1-3535/5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	90°	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




JUPITER SERIES

BO22-Jupiter-8x1-3535/5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.2	Type III	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  



BO22.1-Jupiter-8x1-3535/5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.4	Type III	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO118-Jupiter-8x1-5050-Type IIM (150x70°)

NEW
VERSION





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.0	Type II	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

JUPITER SERIES



BEACON OPTRONICS
The Shape of light



BO60-Jupiter-8x1-5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.3	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO145-Jupiter-8x1-5050-60°

NEW
VERSION



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.3	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO77-Jupiter-8x1-3535-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type II	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  



BEACON OPTRONICS

The Shape of light



Shimmer Series(16x1)

- Optimized for 2835/3030 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






SHIMMER SERIES

BO10-Shimmer-16x1-2835/3030-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.5	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO11-Shimmer-16x1-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.75	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO23-Shimmer-16x1-2835/3030-20°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.6	20°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




SHIMMER SERIES

BO12-Shimmer-16x1-2835/3030-Type II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.2	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO24-Shimmer-16x1-2835/3030-Type III



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type III	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




BO25-Shimmer-16x1-2835/3030-Type IV



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type IV	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




SHIMMER SERIES

BO26-Shimmer-16x1-2835/3030-Type IV





	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type IV	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO27-Shimmer-16x1-2835/3030-Type IV



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO28-Shimmer-16x1-2835/3030-Type V



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.0	Type V	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BEACON OPTRONICS

The Shape of light




Blaze Series(24x1)

- Optimized for 2835/3030 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






BLAZE SERIES

BO34-Blaze-24x1-2835/3030-20°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x7.0	20°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO08-Blaze-24x1-2835/3030-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.3	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO08.1-Blaze-24x1-2835/3030-60°



NEW
VERSION



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.7	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BLAZE SERIES

BO09-Blaze-24x1-2835/3030-90°






LxWxH (mm)	FWHM	Led Package	Material	Material	Application
50x50x3.65	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO09.1-Blaze-24x1-2835/3030-90° (9x9mm Pitch) NEW VERSION



LxWxH (mm)	FWHM	Led Package	Material	Material	Application
50x50x4.35	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO129-Blaze-24x1-3030-T2 NEW VERSION



LxWxH (mm)	FWHM	Led Package	Material	Material	Application
50x50x5.0	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BLAZE SERIES

BO35-Blaze-24x1-2835/3030-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x3.7	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




Give your Lights the
Upgrade they Deserve



BEACON OPTRONICS
The Shape of light



Sunbeam Series(1x1)

- Optimized for 5050/3535 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





SUNBEAM SERIES

BO31-Sunbeam-1x1-5050-Type II






LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
19.0x13.5x7.95	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO29-Sunbeam-1x1-5050-60°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
12x12x6.8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO30-Sunbeam-1x1-5050-90°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
12x12x6.0	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




SUNBEAM SERIES

BO38-Sunbeam-1x1-3030-25°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø19.8x11	25°	3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO39-Sunbeam-1x1-3030-45°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø19.8x11	45°	3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO42-Sunbeam-1x1-3535-70x140°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
22.50x11.20x6.90	70x140°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



SUNBEAM SERIES

BO36-Sunbeam-1x1-2835/3030-90°





LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø13.5x4.4	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO62-Sunbeam-1x1-5050-60°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø15x8.70	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO63-Sunbeam-1x1-5050-90°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø15x7.5	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




SUNBEAM SERIES

BO78-Sunbeam-1x1-3535-9°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
23.9x21x13.7	9°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO79-Sunbeam-1x1-3535-7°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
21.7x21x13	7°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO80-Sunbeam-1x1-Emitter-3535-15°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø21x14.2	15°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




SUNBEAM SERIES

BO117-Sunbeam-1x1-3535-3°






LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø35x21.10	3°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 

BO147-Sunbeam-1x1-3535 RGBW-25°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø21.8x12.3	25°	3535	Cree, Osram, Seoul, Lumiled	PC	 

BO148-Sunbeam-1x1-7070-25°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø25x11	25°	7070	Cree, Osram, Seoul, Lumiled	PC	    



SUNBEAM SERIES

BO146-Sunbeam-1x1-2835/3030-Convex






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø27.8x8.65	Convex	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 

BO172-Sunbeam-1x1-3535 -17°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11	17°	2835/3030/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 



BO173-Sunbeam-1x1-3535-15x45°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11	15x45°	2835/3030/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 



SUNBEAM SERIES

BO177-Sunbeam-1x1-3535-10°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11	10°	2835/3030/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 

BO174-Sunbeam-1x1-5050-RGBW-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 




BO175-Sunbeam-1x1-5050-25°(Gen1)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x10.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 



SUNBEAM SERIES

BO176-Sunbeam-1x1-5050-25°(Gen2)






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x10.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 

BO201-Sunbeam-1x1-3535-7°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø21.9x11.5	7°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 

BO202-Sunbeam-1x1-3535-15x45°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø21.9x11.5	15x45°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 



BEACON OPTRONICS

The Shape of light




Oculus Series (40x1)

- Optimized for 2835/3030 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






OCULUS SERIES

BO51-Oculus-40x1-2835/3030-30°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	30°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO52-Oculus-40x1-2835/3030-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50.15x50.15x4.3	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   


BO53-Oculus-40x1-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50.15x50.15x5.0	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

OCULUS SERIES

BO54-Oculus-40x1-2835/3030-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50.15x50.15x3.5	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   






BEACON OPTRONICS
The Shape of light




Polstar Series (12x1)

- Optimized for 2835/3030 & 3535 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





POLSTAR SERIES

BO70-Polstar-12x1-2835/3030 & 3535-25°





LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x4.48	25°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO71-Polstar-12x1-2835/3030 & 3535-60°






LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x5	60°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO72-Polstar-12x1-2835/3030 & 3535-90°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x4	90°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO73-Polstar-12x1-2835/3030 & 3535-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	Type II	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



Highest Quality and Assuring a
Perfect Light Distribution...



BEACON OPTRONICS
The Shape of light



Ignite Series (6x1)

- Optimized for 3535/5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






IGNITE SERIES

BO64-Ignite-6x1-3535-T2NHA1





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.7	Type II	3535	Osram, Lattice Power Bridgelux	PC	  

BO89-Ignite-6x1-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.2	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO102-Ignite-6x1-5050-BFL



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x9.0	Type II	3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




BEACON OPTRONICS

The Shape of light




Moon Series 50x50 Spiral Lens

- Optimized for 2835/3030/5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






MOON SERIES

BO130-Moon-2835/3030-60°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.95	60°	2835/3030	Bridgelux, Osram, Seoul, Lumiled	PC	   

BO131-Moon-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x3.5	90°	2835/3030	Bridgelux, Osram, Seoul, Lumiled	PC	   



BO132-Moon-5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.95	60°	5050	Bridgelux, Osram, Seoul, Lumiled	PC	   

MOON SERIES

BO133-Moon-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x3.5	90°	5050	Bridgelux, Osram, Seoul, Lumiled	PC	   









BEACON OPTRONICS
The Shape of light

Shine Series

- Optimized for 2835/3030/5050 LED
- Higher efficiency
- High Bay Lighting, Industrial Lighting etc.






BO57-Shine-44x1-2835/3030-Type II IP





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x60x8.25	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO58-Shine-18x1-5050-Type II IP



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x100x7.90	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO61-Shine-10x1-5050-Type II IP



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x60x10.3	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

SHINE SERIES

BO149-Shine-14x1-5050-T2



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x100x7.90	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  






BEACON OPTRONICS



The Shape of light

Theia Series Module IP65 Lens

- Optimized for 2835/3030/5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





BO106-Theia-24x1-5050-WFT55°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x7.2	Type-IV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO120-Theia-28x1-5050-Type-IIH(NHA1)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x10	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	




BO128-Theia-Plain PC Cover



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
229.5x71.5x13.10	120°	2835/3030/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



THEIA SERIES

BO140-Theia-28x1-5050-25°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x10.6	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO141-Theia-28x1-5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO142-Theia-28x1-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x6.75	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




THEIA SERIES

BO143-Theia-64x1-2835/3030-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x5.5	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO144-Theia-64x1-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x4.75	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO227-Theia-28x1-5050 Typell



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x10	Typell	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  



BEACON OPTRONICS

The Shape of light




Aura Series Round High Bay

- Optimized for 2835/3030/5050 LED
- Higher Efficiency
- High Bay Lighting, Industrial Lighting etc.






AURA SERIES

BO134-Aura-5050-60°(3 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø185x7.5	60°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO135-Aura-5050-90°(3 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø185x6.2	90°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	 




BO136-Aura-5050-60°(4 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø225x7.5	60°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	 




AURA SERIES

BO137-Aura-5050-90°(4 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø225x6.8	90°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	




BO138-Aura-5050-60°(8 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø259x4.0	60°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	

BO139-Aura- 5050-90°(8Rings)




COMING
SOON



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø259x4.0	90°	2835/3030/5050	Osram, Seoul, Lumiled, Bridgelux	PC	




AURA SERIES

BO190-Aura-2835-3030-60° (4 Rings)






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø158x4.3	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO194-Aura-2835-3030-90° (4 Rings)






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø158x4.0	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO191-Aura-2835-3030-60° (6 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø185x4.0	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO195-Aura-2835-3030-90° (6 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø185x4.0	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO192-Aura-2835-3030-60° (8Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø225x4.3	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 



BO196-Aura-2835-3030-90° (8 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø225x4.0	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 



AURA SERIES

BO193-Aura-2835-3030-60° (10 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø259x4.3	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO197-Aura-2835-3030-90° (10 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø259x4.0	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 





BEACON OPTRONICS

The Shape of light

Galaxy Series (12x1)




IP 65 Lens Module

- Optimized for 5050 LED
- Higher efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting, Stadium Lighting etc.






GALAXY SERIES

BO206-Galaxy-12x1-5050-15°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X14.5	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO220-Galaxy-12x1-5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X10.5	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




BO221-Galaxy-12x1-5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X6	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

GALAXY SERIES



BO222-Galaxy-12x1-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X5	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO223-Galaxy-12x1-5050-Typell H



COMING
SOON



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X5	Typell	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO224-Galaxy-12x1-5050-Typell V

COMING
SOON



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X5	Typell	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  





BEACON OPTRONICS
The Shape of light

NOVA Series (46x1)

- Optimized for 5050 LED
- Higher efficiency
- High Bay Lighting, Industrial Lighting, Stadium Lighting etc.





BO212-Nova-46x1-5050-15°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
347X71X14.5	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO213-Nova-46x1-5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
347X71X10.5	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO214-Nova-46x1-5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
347X71X6	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



MISCELLANEOUS ITEMS

BO47-30x1-2835/3030-Type-II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.8	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO48-28x1-2835/3030-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.8	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




BO55-Galaxy-10x1-5050-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  



MISCELLANEOUS ITEMS

BO40-8x1-3535/5050-25°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø72.5x10	25°	3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO181-6x1-3535/5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø60x10	25°	3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO81-6x1-3535/5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
71.5x43.25x10	25°	3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




MISCELLANEOUS ITEMS

BO189-Ignite-6x1-5050-15°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
71x43x16.8	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO76-2x1-5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
47x21.7x10	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO203-Custom-40x1-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
115x105x8	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



MISCELLANEOUS ITEMS

BO204-Custom-20x1-5050-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
108x75x9.6	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO119-Custom-18x1-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
115x105x8	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




BO107-Custom-9x1-5050-Type-IIS



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
67x46x8.4	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




MISCELLANEOUS ITEMS

BO86-Custom-24x1-5050-Type-IIS





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
75.70x141.5x8.60	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO74-Custom-26x1-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
99.8x99.8x8.35	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




BO75-Custom-29x1-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173.2x75x10	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




MISCELLANEOUS ITEMS

BO75.1-custom-29x1-5050-Typell





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173.2x75x10	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO67-Custom-25x-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
160.80x75.80x2.5	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO83-Glow-18x1-5050-15°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
500X50X14.5	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	




MISCELLANEOUS ITEMS

BO150-Glow Plain PC Cover






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
500x50x14.5	120°	2835/3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO65-Custom-52x1-2835/3030-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø97x5.1	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO205-custom-16x1-5050-Typell



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
108x75x10	Typell	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 

NOTES



BEACON OPTRONICS
The Shape of light

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.